

TECHNICAL DATASHEET

8320 // BLACK WAVE

Material:	Nitrile, black
Coating:	-
Size(s):	XS-XL
Packaging unit:	1000 pieces (10 boxes à 100 pieces each)
Certification:	EN ISO 374



ISO 374-1:2016/Type B ISO 374-5:2016



Description

NITRAS BLACK WAVE, nitrile disposable gloves, black, non-sterile, rolled edge, powder-free, manufactured according to EN 455, for food contact, ambidextrous, medical examination gloves, micro-roughened fingertips, colour code system for sizes, AQL 1.5, 10 boxes, 100 pieces each

	Material	Colour
Palm	Nitrile	Black
Index finger and thumb	Nitrile	Black
Back of the hand	Nitrile	Black
Fingertips	Nitrile	Black
Cuff / knitted wrist	Nitrile	Black

Thickness (approx.)	mm
Finger	0,10 ± 0,02
Palm	0,08 ± 0,02
Cuff	0,07 ± 0,02

Kreissparkasse Köln

IBAN: DE49 3705 0299 0127 2721 64
BIC: COKSDE33XXX

Sparkasse Köln/Bonn

IBAN: DE32 3705 0198 1933 3245 90
BIC: COLSDE33XXX

HypoVereinsbank

IBAN: DE63 3702 0090 0027 7497 39
BIC: HYVEDEMM429

Es gelten unsere allgemeinen Geschäfts- und Lieferbedingungen (zu finden unter www.nitras.de oder auf Anfrage). Our general terms and conditions of business and delivery apply (can be found at www.nitras.de or on request).

EN 420:2003 + A1:2009		Testing parameter	Performance level	Result
		Dexterity	1-5	5
ISO 374-1:2016/Type B		Testing parameter	Performance level	Result
 JKT		n-Heptane (J)	1-6	2
		Sodium hydroxide 40% (K)	1-6	6
		Formaldehyde 37% (T)	1-6	4
ISO 374-5:2016		Testing parameter	Performance level	Result
		Air-leakage-test	-	Passed
		Water-leakage-test	-	Passed

Dimensions	Size	Values
Length (mm)	all sizes	min. 240
Width of palm (mm)	XS	76 ± 3
	S	84 ± 3
	M	94 ± 3
	L	105 ± 3
	XL	113 ± 3

Material properties	Standard before ageing	Standard after ageing
Elongation at break (%)	min. 500 (Guideline: min. 500-600)	min. 400 (Guideline: min. 400-550)
Tensile strength (MPa)	min. 18 (Guideline: min. 14-20)	min. 14 (Guideline: min. 14-18)

Storage

The products must be stored appropriately, this means in cartons in cool, dry rooms. External influences such as moisture, temperatures, light, as well as natural material changes during a period could implicate change in the properties.

Durability

See overpack

Kreissparkasse Köln

IBAN: DE49 3705 0299 0127 2721 64
BIC: COKSDE33XXX

Sparkasse Köln/Bonn

IBAN: DE32 3705 0198 1933 3245 90
BIC: COLSDE33XXX

HypoVereinsbank

IBAN: DE63 3702 0090 0027 7497 39
BIC: HYVEDEMM429

Es gelten unsere allgemeinen Geschäfts- und Lieferbedingungen (zu finden unter www.nitras.de oder auf Anfrage). Our general terms and conditions of business and delivery apply (can be found at www.nitras.de or on request).