TECHNICAL DATA SHEET **CROSSOVER POST**



Checkmate Checkline II Crossover Post

The Crossover plate is mounted onto the TopFix post and is used to terminate 2 lines onto one post.

The special rubber dampers are energy absorbing and will reduce the impact forces by up to 67% in the event of a fall.



Crossover Post Technical Data Sheet 152 Sealing gasket supplied สวก principal materials Body Cast Stainless Steel - Powder Coated 145 Grev **Crossover Plate** Ø64 Stainless Steel - Electro-Polished 60 Damper Ø8.5 Rubber FPDM M16 Hex Bolt Stainless Steel Sealing Gasket (if required) Ø106 Neoprene standards All dimensions in millimetres

ordering information

Part No.	Description	Weight
PPESLL-514	Crossover Post	1.0kg
DISCLAIMER – COMPONENTS MUST BE USED AS PART OF A COMPLETE CHECKMATE CHECKLINE SLL SYSTEM, COMPRISING OF CHECKMATE		
COMPONENTS ONLY. STRUCTURAL ENGINEER APPROVAL IS REQUIRED BY BUILDING OWNER. SPECIFYING AND INSTALLING CHECKLINE		
REQUIRES TRAINING AND WRITTEN APPROVAL FROM CHECKMATE - CONTACT CHECKMATE FOR DETAILS.		





These components form part of the Checkmate EN 795 approved system

ISSI JE

90