


WG-780 Dexcut™



PROTECTION

- Cut-resistance
- Cold

NORMS



DOCUMENTS

You can also download on our website :

- Product technical sheet
- EU certificate
- Declaration of Conformity
- Food contact information
- User instructions

APPLICATIONS

- Construction
- Metal construction
- Public authorities
- Road maintenance
- Snow clearing
- Refrigerated warehouses
- Green spaces and agriculture
- Glass and metallurgy industries

INFORMATION

Coating

Nitrile single dip, Palm fit

Liner

Spandex, Acrylic,
Aramid and Technical Fiber, Blue

Gauge

10

Packaging

12 pairs / polybag
72 pairs / box

DIMENSIONS Tolerance ± 5 %

SIZE	6 / XS	7 / S	8 / M	9 / L	10 / XL	11 / XXL
Hem Color		Light purple	Brown	Grey	Yellow	Black
Overall Length (mm)		255	263	270	286	288
Palm width (mm)		102	105	108	110	120
Length of middle finger (mm)		74	77	78	87	83
Thickness (µm)		1400	1400	1400	1400	1400
Weight (g/pair)		78.1	81.6	85.4	93.9	98
Liner Weight (g/pair)		49.2	50.8	52.3	57.3	58.5
Coating Weight (g/pair)		28.9	30.8	33.1	36.6	39.5

CARTON INFORMATION

Carton Volume (m,m³)	Length 0.530 x Width 0.315 x Height 0.280 : Volume 0.047 (m³)				
Carton Net Weight (kg)	5.6	5.9	6.2	6.8	7.1
Carton Gross Weight (kg)	6.6	6.9	7.2	7.8	8.1