



TAG HÅND OM MILJØET & DINE OMGIVELSER

Din totalleverandør af miljøbeskyttelse

Vi er din samarbejdspartner til miljøbeskyttelse. Vi leverer en stabil forsyning af produkter af konsekvent høj kvalitet, som har ry for at leve op til de højeste industristandarder. Vi har et bredt program med alt fra absorbenter i alle former og størrelser, spild kits, aftørring, inddæmning og filter produkter.




Absorbenter

Vi tilbyder et stort udvalg af absorbenter i forskellige former og størrelser til hurtig og effektiv opslugning af væsker som f.eks. olie, kemikalier eller andre spildte væsker.



Spild kits

Vigtigheden af spild kit kan ikke understreges nok. At have de korrekte absorbenter lige ved hånden og i den rigtige mængde er nøglen til god miljøbeskyttelse



Miljøopbevaring

Enhver som opbevarer miljøskadelige væsker er ansvarlig for at der ikke sker skade på miljøet eller omgivelserne. Vi tilbyder et bredt sortiment af produkter til miljøopbevaring.


Hvorfor vælge os?

- ✓ Hurtig levering. 1-2 dage på alle lagervarer
- ✓ Landets største udvalg af personlige værnemidler
- ✓ Dansk produktion af egne innovative produkter
- ✓ Omfattende viden med mere end 65 års erfaringer

FÅ RÅDGIVNING AF VORES SPECIALISTER

Kontakt os

Email: info@d-s.dk
Website: www.d-s.dk
Adresse: Menstrupvænge 10, 4700 Næstved, DK

 RING TIL OS: 55 44 66 44

DIN SIKKERHED

VORES Udstyr

Om D-S Sikkerhedsudstyr A/S

Vi er totalleverandør af sikkerhedsprodukter og beskyttelsesudstyr. Vi producerer og tilbyder personlige værnemidler i alle kategorier, direkte til industrien uden dyre mellemlid. Med vores mere end 65 års erfaring rådgiver og deler vi gerne vores viden, døgnet rundt ganske gratis.



VARMEX®

VARMEX er vores unikke brandhæmmende tekniske tekstil der beskytter dig mod metaldråber, ild, gløder, gnister og strålevarme.



Faldsikring

D-S Sikkerhedsudstyr tilbyder et professionelt team af specialister som rådgiver dig i at sikre arbejdet i højden med faldsikring.



D-S Academy

Vi har udviklet en unik vidensportal fyldt med gratis viden og rådgivning om personlige værnemidler gennem videoer, guides mv.

Hvorfor vælge os?

- ✓ Hurtig levering. 1-2 dage på alle lagervarer
- ✓ Landets største udvalg af personlige værnemidler
- ✓ Dansk produktion af egne innovative produkter
- ✓ Omfattende viden med mere end 65 års erfaringer

Kontakt os

Email: info@d-s.dk
Website: www.d-s.dk
Adresse: Menstrupvænge 10, 4700 Næstved, DK

 **RING TIL OS: 55 44 66 44**

D-S MILJØPOLITIK

Miljø er de naturlige omgivelser som helhed, der kan påvirkes af menneskelige aktiviteter. Økonomisk vækst og korrekte sikkerheds**l**øsninger (for at der sikres beskyttelse af kundens helbred og værdier) hænger uløseligt sammen.

Totale sikkerheds**l**øsninger i det industrialiserede og meget vidensbaseret samfund som også tager hånd om og om muligt ikke belaster miljøet er en nødvendighed, samt en forudsætning for velstand på hele kloden.

Hos D-S føler vi os forpligtet til at påtage os vores del af ansvaret for at bistå i et sundt og veldrevent miljø.

D-S har inden for miljøområdet vedtaget politikker som bl.a. vedrører vores logistiksystemer, overholdelse af lovkrav, brug af materiel i produktion og på lager, samt i udvælgelse af leverandører.

INITIATIVER OG POLITIKKER

Som en del af at forbedre miljøet omkring os, har vi valgt at afskaffe så mange produkter som muligt der indeholder PVC / Vinyl.

- D-S forpligter sig til at skabe logistik- og produktionssystemer med mindst mulig ressourceforbrug og miljøbelastning. Derfor videreudvikles og forbedres vores forretningskoncept løbende, så koncernens produkter og serviceydelser til enhver tid afspejler miljøhensyn.
- D-S vil føre en åben og konstruktiv dialog med myndigheder, kunder, leverandører, medarbejdere og andre interessenter om de miljømæssige forhold i forbindelse med koncernens aktiviteter. D-S er sit ansvar bevidst og vil til enhver tid opfylde myndigheders krav.
- Vores leverandører udvælges på en professionel forretningsbasis, som også inkluderer vurdering af deres miljømæssige og sociale ansvarlighed.
- D-S vil sikre, at samtlige aktiviteter planlægges og udføres under hensyntagen til det enkelte individ, arbejdsmiljøet og omgivelserne, hvori de udføres samt at sikre, at arbejdsmiljøarbejdet er dynamisk, så indsatsen optimeres og ressourcerne udnyttes bedst muligt i den udstrækning, det er teknisk og økonomisk muligt.
- Alle aktiviteterne hos D-S skal til enhver tid udføres i overensstemmelse med relevant lovgivning, samt de af virksomheden fremsatte retningslinier for opretholdelse af et sikkert og sundt arbejdsmiljø.
- D-S vil, hvor det er teknisk og økonomisk muligt, skabe de bedst mulige rammer til opretholdelse af et højt arbejdsmiljøniveau ved anvendelse af de på markedet bedst mulige arbejdsmiljømæssige foranstaltninger og hjælpemidler,- herunder personlige værnemidler.

Vi støtter

For at kunne leve op til vores krav og ambitioner om at kunne bistå et sundt miljø og vise ansvarlighed - støtter vi verden med det vi kan:



SPAR PENGE & TID MED POLYPROPYLEN ABSORBENTER

Her sammenligner vi arbejdsindsats, omkostninger og vægt for de sidste 100 liter spildolie med en PP-absorbent og 2 andre typer granulater.



**POLYPROPYLEN
ABSORBENT**



**NATURLIGT MINIRALSK
GRANULAT (KALK)**



LERBASERET GRANULAT

VÆGT



6 KG*



80-120 KG**



120-200 KG***

OPSUGNINGSTID



PRIS:

500 KR.

690 KR.

1000 KR.

FORDELE POLYPROPYLEN

- Absorberer op til 25 gange sin egen vægt
- Enkel og hurtig at bruge og fjerne.
- Til forskel fra granulater så har man større overblik over forbruget
- Bedre totaløkonomi (omkostningerne ved at destruere en absorbent er mindre end at afskaffe materialet som den opsuger)
- Optager kun lidt plads at have på lager, specielt i forhold til mængden den kan absorbere
- Opsuger kun det spild man ønsker, f.eks. kun olien ved oliespild i søer og vand, hvor vand ikke absorberes.

FORDELE GRANULAT

- Kan hurtigt hældes og spredes for hurtigt at dække et spild areal.
- Kan bruges i sprækker og små huller m.m.

* 1 rulle (48x4400cm)

** 10 poseraf 10 KG

*** 20 poseraf 10 KG

ABSORBENTER

Vores absorbenter kan inddeles i:

- Polypropen Absorbenter PP
- Granulat Absorbenter

Vi har lavet nogle symboler for at gøre det lettere at for dig at finde det rigtige produkt. Symbolerne vil hjælpe dig til at forstå, hvilke produkter er bedst egnede til hver sit område



GENERELLE SYMBOLER FOR ALLE ABSORBENTER



Olie absorbenter

Absorberer alle typer petroleumsbaserede væsker, og de fleste alkoholer, men ikke vand. Olie absorbenter flyder på vand selv når de er fyldte med væske.



Universal absorbenter

Absorberer alle typer væsker som petroleum, alkoholer og vandbaserede væsker og vand. Universal flyder på vand når de er fyldte med væske. Virker også til kemikalier



Kemikalie absorbenter

Absorberer alle typer syreklassificerede væsker (enkelte undtagelser kan forekomme).

POPYPROPEN ABSORBENTER PP

- Polypropen (PP) er et plastbaseret materiale som har sin oprindelse fra petroleum.
- Den er flammehæmmende og resistent mod alle syrer/væsker.

Vi deler dem ind i fire unikke kvaliteter som beskriver hvordan de er bygget op og hvad de egner sig bedst til:

Meltblown

- E står for economic, som er det enkleste materiale, men også det som har den hurtigste og bedste absorberingskapacitet.
- Denne absorbent egner sig på selv ujævne og grove underlag.



Spunbond/Meltblown

- HP er et materiale som har en belægning på oversiden. Dette gør den modstandsdygtig mod slitage og slid på oversiden, men opretholder en hurtig og god sugeevne.
- Dette materiale egner sig bedst hvor man vil have en absorbent med hurtig og god absorberingskapacitet, men som også klarer den hårde slitage ovenfra som f.eks. fra gaffeltrucks og gåen på absorbenten.



Spunbond/Meltblown/Spunbond

- 100 % fnugfri takket være at den har et overfladelag på begge sider som også gør den ekstremt modstandsdygtig og slidstærk.
- Denne absorbent bruges hvor man vil have en bedre holdbarhed og samtidig kan disse absorbenter udsættes for meget høj slitage som f.eks. truckkørsel og tung belastning.



Spunbond/Meltblown/Laminate

- 100 % fnugfri.
- Har en overfladebelægning på begge sider, men til forskel fra "P" absorbenter så har den en stærkere belægning på oversiden, som også er UV-beständig og en tæt belægning på undersiden.
- Dette materialet bruges med fordel under entreprenørmaskiner og vandtanke der hvor man ønsker en 100 % lækagebeskyttelse.



SÅDAN VÆLGER DU DEN RIGTIGE POLYPROPEN ABSORBENT

Nogle grundlæggende spørgsmål, som hjælper dig med at vælge den rigtige Polypropen absorbent:

1.

HVILKEN TYPE SPILD ER DET?



Ideel til Olie og petroleum
– vælg olie



Universal til Vand,
kemikalie og olie
blandede væsker
– vælg Universal



Ideel til Kemikalier,
baser og syrer
– vælg Kemikalie

2.

HVOR SKAL DEN BRUGES?



På et betonggulv,
asfalt eller vand
– vælg E



Skal man kunne stå
eller gå på den og
samtidig have god
absorberingsevne
– vælg P



Skal den have høj
slidstyrke, og skal den
kunne tåle store
belastninger
– vælg HP



Vil man have et 100 %
sikkert værn som
også tåler ekstreme
påvirkninger
– vælg PL

3.

HVOR MEGET SPILD SKAL ABSORBERES / SUGES OP?



Lille sugesevne



Medium sugesevne



Høj sugesevne

4.

HVILKEN STØRRELSE OG TYPE PASSER BEDST?



Ark



Smal rulle



Hel rulle



Måtte



Olietønde
måtte



Pude




Pølse

Absorbent - puder, måtter og ruller

- For en hurtig opsugning

- Absorberingspuder (Punktmåtter) kan bruges i alle typer virksomheder hvor der kan forekomme spild
- De har ingen overfladebelægning som gør at de har ekstra god sugeevne på grove flader og på vand. Den er kun varmepræget for materialet ikke veje så meget.
- Findes i tyk, tung, ark, pude og på rulle, for bedste fleksible løsninger og totaløkonomi



Olie absorbenter

Absorberingspuder (punktmåtter) kan bruges i alle typer virksomheder hvor der kan forekomme spild. De har ingen overfladebelægning, som giver ekstra god sugeevne på grove overflader og på vand. De er kun varmepræget for materialet ikke skal veje så meget. Findes i tyk, tynd, ark, puder og ruller, for den bedste fleksible løsning og totaløkonomi.

Olieabsorbent i rulle, Premium



Olieabsorbent



Light Padex 200 ME

Olieabsorbent



Heavy Padex 100 MP

Olieabsorbent i rulle



Roldex 2 ME

Olieabsorbent i rulle



Roldex 1 ME

Olieabsorbent i rulle



Roldex 2 MP



Roldex 1 MP

Vare Nr.:	25-O-55	25-O-40	25-O-160	25-O-150	25-O-140	25-O-130
Type	Ark	Ark	Rulle	Rulle	Rulle	Rulle
Kvalitet	Standard	Premium	Standard	Standard	Premium	Premium
Farve	Hvid	Hvid	Hvid	Hvid	Hvid	Hvid
Dimensioner	43 x 48 cm	43 x 48 cm	48 x 4400 cm	96 x 4400 cm	48 x 4400 cm	96 x 4400 cm
Sugeevne	99 liter	115 liter	203 liter	203 liter	237 liter	237 liter
Pakning	200 ark	100 ark	Karton á 2 ruller	1 rulle	Karton á 2 ruller	1 rulle

Universal absorbenter

Absorberingspuder (punktmåtter) kan bruges i alle typer virksomheder hvor der kan forekomme spild. De har ingen overfladebelægning, som giver ekstra god sugsevne på grove overflader og på vand. De er kun varmepræget for materialet ikke skal veje så meget. Findes i tyk, tynd, ark, puder og ruller, for den bedste fleksible løsning og totaløkonomi.



Vare Nr.:	25-O-27	25-O-10	25-O-105	25-O-80	25-O-90	25-O-70
Type	Ark	Ark	Rulle	Rulle	Rulle	Rulle
Kvalitet	M	M	M	Premium	M	Premium
Farve	Mørkegrå	Mørkegrå	Mørkegrå	Mørkegrå	Mørkegrå	Mørkegrå
Dimensioner	43 x 48 cm	43 x 48 cm	48 x 4400 cm	48 x 4400 cm	96 x 4400 cm	96 x 4400 cm
Sugeevne	86 liter	86 liter	152 liter	178 liter	152 liter	178 liter
Pakning	100 ark	100 ark	Karton á 2 ruller	Karton á 2 ruller	1 rulle	1 rulle

Spildevand absorbenter

Absorberingspuder (punktmåtter) kan bruges i alle typer virksomheder hvor der kan forekomme spild. De har ingen overfladebelægning, som giver ekstra god sugsevne på grove overflader og på vand. De er kun varmepræget for materialet ikke skal veje så meget. Findes i tyk, tynd, ark, puder og ruller, for den bedste fleksible løsning og totaløkonomi.



VARMEX® Water Absorbent



VARMEX® Water Absorbent




VARMEX® Water Absorbent



VARMEX® Water Absorbent



VARMEX® Water Absorbent



Vare Nr.:	30-V-H2O-18X18	30-V-H2O-36X18	30-V-H2O-36X36	30-V-H2O-125X65	30-V-H2O-62X36
Type	Pude	Pude	Pude	Pølse	Pude
Kvalitet	M	M	M	M	M
Farve	Hvid	Hvid	Hvid	Hvid	Hvid
Dimensioner	18 x 18 cm	36 x 18 cm	36 x 36 cm	125 x 6,5 cm	62 x 36 cm
Sugeevne	0,7 liter	2 liter	10 liter	3 liter	20 liter
Pakning	1 stk, Pose à 5 stk, Karton à 50 stk	1 stk	1 stk, Pose à 3 stk, Karton à 15 stk	1 stk	1 stk, Pose à 2 stk, Karton à 10 stk

SAMSONEX WORK

- DET SELVFØLGELIGE VALG PÅ GULVET

- Samsonex bruges når der er fare for slitage på en af siderne, da den er lamineret giver det større slidstyrke mod f.eks. tunge maskiner, gang, jernbanespor m.v. Mens samme gode og hurtige sugsevne bibeholdes.
- Absorbenten ligger fast og skridsikkert på selv polerede og blanke gulve, da den ikke er belagt på undersiden.



Samsonex

Samsonex bruges når der er fare for slitage på en af siderne, da den er lamineret giver det større slidstyrke mod f.eks. tunge maskiner, gang, jernbanespor m.v. Mens samme gode og hurtige sugsevne bibeholdes.

Absorbenten ligger fast og skridsikkert på selv polerede og blanke gulve, da den ikke er belagt på undersiden.

Vare Nr.:	25-0-116
Type	Rulle
Kvalitet	PL
Vægt	21 kg
Dimensioner	149 x 4000 cm
Sugeevne	211 liter
Pakning	1 stk



MILJØBESKYTTELSE



Gulvstativ til Roldex & Samsonex absorbenter i rulle



Vare Nr.:	25-0-2500
Type	Gulvstativ
Anvendelse	Ophæng af absorbenter i rulle
Dimensioner	96 cm
Pakning	1 stk

Findes også som samlet sæt



Vare Nr.:	25-0-110
Type	Rulle med stativ
Anvendelse	Absorbering og ophæng af rulle
Dimensioner på rulle	91 x 4500 cm
Pakning	1 stk

PREMIUM PP ABSORBENTER

- TIL BARSKE FORHOLD

- Premium bruges i alle typer virksomheder som ønsker en fnugfri og meget slidstærk absorbent.
- De har beskyttende belægning på begge sider.
- Findes i tynd, tyk, ark, puder, måtter, pølser og i ruller, for at tilpasse sig alle områder og totaløkonomi.



Premium Kvalitet

Bruges når der er farer for stor slidtage på oversiden, f.eks. ved bearbejdningsmaskiner eller gangbroer. Men samtidig have høj og hurtig sugeevne. Takket være belægningen på mattsens underside, ligger den fast og skridsikkert på selv glatte og højpolerede gulve.



Baribooms 4M



Barisump 10 M



Barisock M



Barisock M XXL



Vare Nr.:	25-0-220	25-0-230	25-0-180	25-0-190
	☺☺☺ ↺	☺☺ ↺	☺☺ ↺	☺☺☺ ↺
Type	Pølse	Pølse	Pølse	Pølse
Kvalitet	SM	SM	SM	SM
Farve	Grå	Grå	Grå	Grå
Dimensioner	20 x 300 cm	20 x 50 cm	7,5 x 122 cm	7,5 x 300 cm
Sugeevne	288 liter	138 liter	134 liter	166 liter
Pakning	4 stk	10 stk	Karton á 20 stk	Karton á 8 stk

Gulvstativ til Roldex & Samsonex absorbenter i rulle



Olieabsorbent i rulle, Premium Roldex 1 MP

Vare Nr.:	25-0-130
	☺☺☺ 📦
Type	Rulle
Kvalitet	Premium
Farve	Hvid
Dimensioner	96 x 4400 cm
Sugeevne	237 liter
Pakning	1 rulle

Olieabsorbent i rulle, Premium Roldex 2 MP

Vare Nr.:	25-0-140
	☺☺☺ 📦
Type	Rulle
Kvalitet	Premium
Farve	Hvid
Dimensioner	48 x 4400 cm
Sugeevne	237 liter
Pakning	Karton á 2 ruller

Vare Nr.:	25-0-2500
Type	Gulvstativ
Anvendelse	Ophæng af absorbenter i rulle
Dimensioner	96 cm
Pakning	1 stk

PREMIUM KVALITET - MED GODE OPSUGNINGSEVNER



Drypbakke, Oreaflex 48

Vare Nr.:	25-O-700
Type	Rulle
Kvalitet	Premium
Farve	Hvid
Dimensioner	96 x 4400 cm
Sugeevne	237 liter
Pakning	1 rulle



Drypbakke, Oreaflex 96

Vare Nr.:	25-O-705
Type	Rulle
Kvalitet	Premium
Farve	Hvid
Dimensioner	96 x 4400 cm
Sugeevne	237 liter
Pakning	1 rulle

Universal
absorbent


Padex 100 UP

Universal
absorbent


Padex 100 UEP

Olieabsorbent



Heavy Padex 100 MP

Olieabsorbent



Light Padex 200 ME

Vare Nr.:	25-O-10
Type	Ark
Kvalitet	M
Farve	Mørkegrå
Dimensioner	43 x 48 cm
Sugeevne	86 liter
Pakning	100 ark

Vare Nr.:	25-O-27
Type	Ark
Kvalitet	M
Farve	Mørkegrå
Dimensioner	43 x 48 cm
Sugeevne	86 liter
Pakning	100 ark

Vare Nr.:	25-O-40
Type	Ark
Kvalitet	Premium
Farve	Hvid
Dimensioner	43 x 48 cm
Sugeevne	115 liter
Pakning	100 ark

Vare Nr.:	25-O-55
Type	Ark
Kvalitet	Standard
Farve	Hvid
Dimensioner	43 x 48 cm
Sugeevne	99 liter
Pakning	200 ark


Drypbakke til olie
DPPO

Leveres komplet med 4 genanvendelige bundbakker og 20 stk olie absorberende puder fyldt med 100% polypropylen for maksimal sugeevne.



Drypbakke til olie DPPO

Vare Nr.:	25-O-200
Type	Rulle
Kvalitet	Premium
Farve	Hvid
Dimensioner	25 x 25 x 8 cm
Sugeevne	237 liter
Pakning	Karton á 4 stk.

Refill til Drypbakke til olie DPPO


Vare Nr.:	25-O-210
Type	Rulle
Kvalitet	Premium
Farve	Hvid
Dimensioner	25 x 25 x 8 cm
Sugeevne	237 liter
Pakning	Karton á 20 stk.

Oliespilds instruktioner


1. Stop spild ved kilden: PS PM (Vare Nr.: 25-O-400)



2. Beskyt afløb! : RPDC60 (Vare Nr.: 25-O-370), RPDC90 (Vare Nr.: 25-O-360), Jobariera (Vare Nr.: 25-O-355), Barisump 10M (Vare Nr.: 25-O-230)



3. Omring spild med Jobariera (Vare Nr.: 25-O-355) & Barisock M (Vare Nr.: 25-O-180)



4. Absorber det værste med Padex 100 MP (Vare Nr.: 25-O-40)



5. Absorber det sidste med AP2000 (Vare Nr.: 25-O-284)



6. Affedt og rengør efterfølgende med Citro 3000 (Vare Nr.: 25-O-3010)



AP 2000

Absorbent Granules for Oil and other Chemicals



AP 2000 is a fast acting and safe (chemically non-reactive) absorbent:

All types of chemicals, such as water, oil and other chemicals (excl. hydrofluoric acid) on hard surfaces will be absorbed quickly and encapsulated in the porous structure of the granules

- AP 2000 works quickly because of its high absorption capacity. That means you will save time when removing liquids. A higher absorption capacity also means that you will need less material and reduce the amount of waste.
- AP 2000 is non-slippery
- AP 2000 is a natural mineral product. It is not water repellent and will not float on water.

Applications:

AP 2000 is an absorption granule that can be used inside (0.5- 1 mm). It can be used preventative and in maintenance situations. It is ideal to clean and secure industrial floors or to remove oil. With its relatively small size, it can absorb the liquids very deep into small pores.

Parameters of product

Absorption Capacity (Liter Heating Oil/Bag):	12.7
Particle Size (mm)	0.5-1
Weight (kg):	9,5 (20 Liter)

AU 1000

Absorbent Granules for Oil and other Chemicals



AU 1000 is a fast acting and safe (chemically non-reactive) absorbent:

All types of chemicals, such as water, oil and other chemicals (excl. hydrofluoric acid) on hard surfaces will be absorbed quickly and encapsulated in the porous structure of the granules

- AU1000 works quickly because of its high absorption capacity. That means you will save time when removing liquids. A higher absorption capacity also means that you will need less material and reduce the amount of waste.
- AU 1000 is a natural mineral product. It is not water repellent and will not float on water.
- AU1000 is non-slippery

Applications:

AU1000 is an absorption granule that can be used inside as well as outside because of its relatively large particles (1-3 mm). It can be used preventative and in maintenance situations. It is ideal to clean and secure industrial floors or to remove oil from roads and high ways.



Parameters of product

Absorption Capacity (Liter/Heating Oil/Bag):	9
Particle Size (mm)	1-3
Weight (kg):	9,5 (20 Liter)

Bariboom 4M S

Oil only Absorbent Booms



Oil only Booms

Contain and absorb spills on water or land before they can spread. Oil-Only Absorbent Booms float for confining and soaking up oil spills on water but can also be used for land-based spills.

- Rope running along length of boom adds strength for deployment and retrieval
- Strong metal attachment clips and allow to connect booms together for greater length
- Contained absorbent makes cleanup quick and easy
- Polypropylene filler is chemical-resistant and hydrophobic for containing and absorbing oil-based spills in a variety of environments; holds in liquid, even when fully saturated
- Tough outer net resists snags and debris while remaining pliable
- Absorbs and retains oils and oil-based liquids—including lubricants and fuels—without absorbing water
- Can be used on land but also floats to confine and soak up spills on water
- Bright white color is easier to see in outdoor environments

Parameters of product

Length:	300 cm
Diameter:	13 cm
Absorption:	160 liter/unit
Weight:	10 kg
Pieces per unit:	4



Bariboom 4M

Oil only Absorbent Booms



Oil only Booms

Contain and absorb spills on water or land before they can spread. Oil-Only Absorbent Booms float for confining and soaking up oil spills on water but can also be used for land-based spills.

- Rope running along length of boom adds strength for deployment and retrieval
- Strong metal attachment clips and allow to connect booms together for greater length
- Contained absorbent makes cleanup quick and easy
- Polypropylene filler is chemical-resistant and hydrophobic for containing and absorbing oil-based spills in a variety of environments; holds in liquid, even when fully saturated
- Tough outer net resists snags and debris while remaining pliable
- Absorbs and retains oils and oil-based liquids—including lubricants and fuels—without absorbing water
- Can be used on land but also floats to confine and soak up spills on water
- Bright white color is easier to see in outdoor environments

Parameters of product

Length:	300 cm
Diameter:	20 cm
Absorption:	288 liter/unit
Weight:	18 kg
Pieces per unit:	4



Bariex U

Universal Absorbent Socks



Absorbent Universal Socks

Moldable Socks surround machine bases and contain spills

Polypropylene filler is highly absorbent for big spills
Polyester skin is chemical- and tear-resistant; reduces dust
and holds in liquid, even when fully saturated
Absorbs and retains oils, coolants, solvents, water and other
chemicals
Contained absorbent makes cleanup quick and easy



Parameters of product

Length (cm):	122
Diameter (cm):	7,5
Absorption (Liter/Unit):	90 (for water-based liquids), 120 (for oil based liquids)
Weight (kg):	7.5
Number of socks per unit:	20

Barisock M

Oil Only Absorbent Socks



Oil Only Absorbent Socks

Surround and absorb oil-based liquids without absorbing water.

Polypropylene filler is hydrophobic for containing and absorbing oil-based spills in a variety of environments
Polyester skin is chemical- and tear-resistant; reduces dust and holds in liquid, even when fully saturated
Absorbs and retains oils and oil-based liquids without absorbing water
Contained absorbent makes cleanup quick and easy



Parameters of product

Length (cm):	122
Diameter (cm):	7,5
Absorption (Liter/Unit):	134
Weight (kg):	8.4
Number of socks per unit:	20



Citro 3000



Product Features

Citro 3000 is a clear orange citrus fragranced all-purpose cleaner, designed for areas where waste product can only be disposed of in storm drains. It is a safe alternative to many highly alkaline products used for similar tasks.

Directions For Use:

For the effective removal of oil from tarmac and concrete surfaces. For general cleaning of oil rigs, garage floors, ship decks, diesel islands, forecourts, floors and the general cleaning of most hard surfaces. It can be used through steam cleaning machines and cold pressure washers.

The product does not contain sodium hydroxide or potassium hydroxide. It is not classified under the current C.H.I.P legislation and satisfies international tests carried out on unicellular algae and invertebrates representative of both fresh and salt water environments.

Dilute at around 2% ie.100 ml per 5 liters of warm to hot water
(3-4 pump measures)

Cleaning Guide :

1. Sweep floor area thoroughly
2. The diluted solution chosen should be mixed in a clean bucket
3. With a clean mop, apply to the area to be cleaned (For large areas clean in sections.)
4. For stubborn soilings levels, use of a deck scrubber may be necessary
5. Rinse floor area thoroughly with fresh water and allow to air dry

Health & Safety:

Wear rubber or pvc gloves

Keep out of reach of children

Safety Data Sheets are available for professional users

Keep from freezing



2x5 Liters

Available with your logo

DPPO

DPPO - Oil Only Drip Pan pillows in a pan



Oil Only Drip Pan pillows in a pan are ideal to catch leaks and drips coming from spigots, machinery or common places where drips and leaks happen. You can continuously use the Drip Pan while only replacing the **Oil Absorbent Pillow**.

- Keep the Drip Pan - just replace the Oil Pillow
- Comes complete with 4 reusable Drip Pans and 20 Oil Absorbent Pillows filled with 100% polypropylene for maximum absorbency
- Drip Pans ideal for use under leaky spigots, dripping pipes and in other problem areas

Parameters of product

Weight in kg: 4.5
Pieces per unit: 20 + 4
Absorption capacity: 64 liter
Dimensions : 25 x 25 cm²

JOBARIERA

Liquid Barrier



Jobariera, a reusable, polyurethane leak barrier for containing leaks

Areas of Application:

Jobariera blocks leakages in indoor and outdoor applications. The barrier is relatively heavy so that no liquid can seep through the bottom.

Features

- Jobariera is resistant to oil and other oil-based fluids - including lubricants and fuels - but also against a range of other chemicals
- Jobariera is re-usable
- 2 handles make for easy placement of the barrier
- The ends consist of snap-on connections so that the circle can be closed or extended with more barriers

Technical Datas

Dimensions:	300 cm (length) x 10 cm(width) x 7 cm(height)
Weight:	12 kg
Material:	Polyurethane

JOHANETEX

Multi-purpose wipers



Oread offers an ideal solution for wiping, cleaning and polishing for any type of industry. JOHANETEX wipers are abrasion and solvent resistant. The absorption capacity is high and they are non linting.

JOHANETEX wipers are an excellent substitute for cotton rags and cleaning while generating less waste due to its high absorption capabilities.

JOHANETEX can be used at workshops as well as household applications for cleaning glass, metals, plastics, wood, ceramics, dirty hands, etc. It absorbs all kinds of liquids, such as oil, water and emulsions.

JOHANETEX is available with two different roll handlers with strong construction, one is standing and the other one can be mounted on the wall to keep these high-quality rolls handy.

Parameters of product

Dimensions	40 cm x 380 m
Weight (kg):	5.3 kg

Johar

Multi- Purpose Wipe for the industrial use



Johar is a fast acting and safe (chemically non-reactive) wipe:

Johar is a multipurpose wipe with outstanding universal effect. It is not linting on the treated surface.

It has high suction capacity based on its composition. It does not emit dust. It is solvent-resistant and durable.

Parameters of product

Length (cm)	32
Width (cm)	38
Number of wipes per unit	50
Weight (kg):	0.4

Johatex O

Strong Wet Wipes for oily Hands



Johatex O is a universal cleaning wipe suitable for dirty hands and surfaces. It includes skin-friendly soap. One side of the wipe is soft and gentle. Another side is sturdy for extra physical power for the removal of dirt. The wipes are perforated for easy handling and to minimize consumption.

Parameters of product

Wipe size:	27 x32 cm2
Number of wipes per bucket:	90 pieces
Weight:	1.1 kg

MSK 203 B

Oil only Spill Kit in a Rugged Bag



Oil Only Spill Kit in a rugged Bag

Each spill kit absorbs all petroleum-based liquids while repelling water
Rugged bag is packed with 20 pads, 3 socks, one PS PM and 3 PVC bags
The rugged bag stores spill response supplies, then act as a temporary disposal bag
Absorbency: 35 - 45 liters, depending on the viscosity of the oil absorbed

Composition:

Rugged bag, 50 cm x 50 cm x 20 cm
3 Oil Only Socks, 7.5 x 120 cm
20 Low-linting Premium Oil Only Absorbent Pads, 48 x 43 cm
3 PVC plastic bags
1 Pre-Mixed Plugging and Sealing Putty, 0.5 kg
1 pair of gloves

Parameters of product

Length (cm):	50
Width (cm):	50
Height (cm):	20
Weight (kg):	3,1
Pieces per unit:	1

MSK 508 B

Oil only Spill Kit in a Rugged Bag



Oil Only Spill Kit in a rugged Bag

Each spill kit absorbs all petroleum-based liquids while repelling water
Rugged bag is packed with 50 pads, 8 socks, one PS PM and 4 PVC bags
The rugged bag stores spill response supplies, then act as a temporary disposal bag
Absorbency: 100- 110 liters, depending on the viscosity of the oil absorbed

Composition:

Rugged bag, 50 cm x 50 cm x 40 cm
8 Oil Only Socks, 7.5 x 120 cm
50 Low-linting Premium Oil Only Absorbent Pads, 48 x 43 cm
4 PVC plastic bags
1 Pre-Mixed Plugging and Sealing Putty, 0.5 kg
1 pair of gloves

Parameters of product

Length (cm):	50
Width (cm):	50
Height (cm):	40
Weight (kg):	8,1
Pieces per unit:	1

Oreaflex 48 and 96

Innovative Drip Pans



Oread introduces a new concept of drip pans: flexible drip pans made of 100% polyester with a PVC-coating.

Oread oil sorbent pads exactly fit in the Oreaflex 48 and the Oread rolls fits exactly in Oreaflex 96 because of their perforation every 86 cm.

The edges are filled with foam so that even a truck can drive over them!

The Oreaflex drip pans are ideal to contain leakages under compressors, motor vehicles, machines, old-timers and emergency generators and can also be used for temporary containment of oil products.

Printing your own logo and contact details is available for such a small order of 50 pieces of Oreaflex!

Technical Information Oreaflex 48

Inner Dimension	48 x 43 cm
Absorption Capacity (l/pack):	19,5 Liter
Weight (kg):	0,850 KG
Absorbents that fits:	Padex 100 MP/Padex 100 ME
Number of pieces in a pack:	1

Oreaflex 96

96 x 86 cm
75 Liter
1,75 KG
Roldex 1 MP/Roldex 1 ME
1

OSK 104 C

Wheeled Container Oil-Only Spill Kit



Wheeled Container Oil Only Spill Kit

Use this Wheeled Kit to bring Oread Absorbents directly to a large oil or oil-based spill — all in a highly visible container that really stands out!

Use Socks to confine spill before it can spread; use Pads to soak up spill

Bright yellow lid stands out, so you can find it when you need it;

Contents are organized for quick, efficient response

Hinged lid allows for easy access and keeps Kit contents clean and dry prior to use

100% polyethylene container is light-weight

Composition:

1 pair of gloves

1 9-kg-bag of Absorbent Granules

1 Bottle containing 200 ml of a super-concentrated biodegradable degreaser that can be diluted 1:50

1 pair of Safety Glasses

1 Wheeled container

1 detachable Broom

1 detachable Shuffle

3 Black plastic bags

4 Oil Only Socks, 7.5 x 120 cm

20 Low-linting Premium Oil Only Absorbent Pads, 48 x 43 cm

Parameters of product

Absorption in liter: 50 – 60 liter

Weight in kg: 18

PADEX 100 ME

Economical Quality Heavyweight Oil Only Absorbent Pads



Economical Heavyweight Oil Only Absorbent Pads

Economical Oil Only Absorbent Pads preferentially absorb oil, whilst repelling water. The Oil only absorbent pads will remove oil from water and are used in internal and external situations where oil needs to be absorbed without saturating the absorbent with water.

The Economical Oil Only Absorbent Pads are made of 100% polypropylene and are perforated so that it can be adjusted for all kinds of applications.

Applications:

the oil only pads are ideal for use in factories, on lakes, rivers, harbours or at sea and will remain afloat even when saturated with oil. Non toxic, non reactive and fast acting.

- 100% meltblown polypropylene; will absorb up to 25 times its own weight
- Absorbs and retains oils and oil-based liquids—including lubricants and fuels—without absorbing water
- Floats to clean up spills on water
- Bright white color makes absorbed oil easier to see; draws attention to machine leaks and clearly shows saturation level during spill response
- Perforated material is easy to tear to size so you only use what you need
- Economical Oil Only Absorbent Pads are ideal for catching drips and soaking up spills
- Flame-resistant material won't burn immediately like cellulose; melts when exposed to high heat while on the job
- Non toxic, non reactive and fast acting



Parameters of product

Length (cm):	43
Width (cm):	48
Absorption (Liter/Unit):	99
Weight (kg):	6
Number of pads per unit:	100

PADEX 100 MP

Premium Quality Heavyweight Oil Only Absorbent Pads



Premium Quality Heavyweight Oil Only Absorbent Pads

Low-linting Premium Oil Only Absorbent Pads preferentially absorb oil, whilst repelling water. The Low-linting Premium Oil Only Absorbent Pads will remove oil from water and are used in internal and external situations where oil needs to be absorbed without saturating the absorbent with water.

The Low-linting Premium Oil Only Absorbent Pads have a polypropylene core with a fine fiber layer on both sides. This procedure makes the pads extremely low-linting and improves the absorption ability (wicking) and strength of the material.

The Low-linting Premium Oil Only Absorbent Pads are perforated so that it can be adjusted for all kinds of applications.

Applications:

the Low-linting Premium Oil Only Absorbent Pads are ideal for use in factories, on lakes, rivers, harbors or at sea and will remain afloat even when saturated with oil.


- 100% meltblown polypropylene covered with a fine fiber layer on both sides; won't rip, tear or fray even when saturated
- Will absorb up to 25 times its own weight
- Dimple pattern speeds wicking of liquid throughout the material for faster, easier cleanup
- Absorbs and retains oils and oil-based liquids—including lubricants and fuels—without absorbing water
- Floats to clean up spills on water
- Bright white color makes absorbed oil easier to see; draws attention to machine leaks and clearly shows saturation level during spill response
- Perforated material is easy to tear to size so you only use what you need
- Low-linting Premium Oil Only Absorbent Pads are ideal for catching drips and soaking up spills
- Flame-resistant material won't burn immediately like cellulose; melts when exposed to high heat while on the job
- Nontoxic, non-reactive and fast acting

Parameters of product

Length (cm):	43
Width (cm):	48
Absorption (Liter/Unit):	115
Weight (kg):	7.2
Number of pads per unit:	100

PADEX 100 UEP

Premium Quality Heavyweight Universal Absorbent Pads



Low-linting Premium Universal Absorbent Pads

Low-linting Premium Universal Absorbent Pads absorb leaks and spills to keep floors dry and workers safe.

The Low-linting Premium Universal Absorbent Pads have a polypropylene core with a very durable black spunbond layer on one side. This procedure makes the Low-linting Premium Universal Absorbent Pads extremely low-linting and improves the absorption ability (wicking) and strength of the material.

The Low-linting Premium Universal Absorbent Pads are perforated so that it can be adjusted for all kinds of applications.

This UEP quality of absorbents was designed for use in high traffic areas. The black cover protects it from foot traffic or other friction. In addition, this black layer hides the dirt due to its color.

Applications:

the Low-linting Premium Universal Absorbent Pads are ideal for use in factories, garages, laboratories or anywhere where chemicals need to be absorbed.


- Low linting. Superior absorption
- Absorbs and retains oils, coolants, solvents, water and many types of other chemicals
- Black color hides dirt, so Low-linting Premium Universal Absorbent Pads stay on the job longer
- 100% meltblown polypropylene covered with a black spunbond layer on one side; won't rip, tear or fray even when saturated
- Dimple pattern speeds wicking of liquid throughout the material for faster, easier cleanup
- Perforated material is easy to tear to size so you only use what you need
- Low-linting Premium Universal Absorbent Pads are ideal for catching drips and soaking up spills
- Flame-resistant material won't burn immediately like cellulose; melts when exposed to high heat while on the job
- Non toxic, non reactive and fast acting

Parameters of product

Length (cm):	43
Width (cm):	48
Absorption (Liter/Unit):	67 (for water-based liquids), 90 (for oil-based liquids)
Weight (kg):	5.78
Number of pads per unit:	100

PADEX 100 UP

Premium Quality Heavyweight Universal Absorbent Pads



Low-linting Premium Universal Absorbent Pads

Low-linting Premium Universal Absorbent Pads absorb leaks and spills to keep floors dry and workers safe.

The Low-linting Premium Universal Absorbent Pads have a polypropylene core with a fine fiber layer on both sides. This procedure makes the Low-linting Premium Universal Absorbent Pads extremely low-linting and improves the absorption ability (wicking) and strength of the material.

The Low-linting Premium Universal Absorbent Pads are perforated so that it can be adjusted for all kinds of applications.

Applications:

the Low-linting Premium Universal Absorbent Pads are ideal for use in factories, garages, laboratories or anywhere where chemicals need to be absorbed.

- Low linting. Superior absorption
- Absorbs and retains oils, coolants, solvents, water and many types of other chemicals
- Dark gray color hides dirt, so Low-linting Premium Universal Absorbent Pads stay on the job longer
- 100% meltblown polypropylene covered with a fine fiber layer on both sides; won't rip, tear or fray even when saturated
- Dimple pattern speeds wicking of liquid throughout the material for faster, easier cleanup
- Perforated material is easy to tear to size so you only use what you need
- Low-linting Premium Universal Absorbent Pads are ideal for catching drips and soaking up spills
- Flame-resistant material won't burn immediately like cellulose; melts when exposed to high heat while on the job
- Non toxic, non reactive and fast acting



Parameters of product

Length (cm):	43
Width (cm):	48
Absorption (Liter/Unit):	86 (for water-based liquids), 115 (for oil-based liquids)
Weight (kg):	7.2
Number of pads per unit:	100

PADEX 200 ME

Economical Quality Lightweight Oil Only Absorbent Pads



Economical Lightweight Oil Only Absorbent Pads

Economical Oil Only Absorbent Pads preferentially absorb oil, whilst repelling water. The Oil only absorbent pads will remove oil from water and are used in internal and external situations where oil needs to be absorbed without saturating the absorbent with water.

The Economical Oil Only Absorbent Pads are made of 100% polypropylene.

Applications:

the oil only pads are ideal for use in factories, on lakes, rivers, harbours or at sea and will remain afloat even when saturated with oil. Non toxic, non reactive and fast acting.

- 100% meltblown polypropylene; will absorb up to 25 times its own weight
- Absorbs and retains oils and oil-based liquids—including lubricants and fuels—without absorbing water
- Floats to clean up spills on water
- Bright white color makes absorbed oil easier to see; draws attention to machine leaks and clearly shows saturation level during spill response
- Perforated material is easy to tear to size so you only use what you need
- Economical Oil Only Absorbent Pads are ideal for catching drips and soaking up spills
- Flame-resistant material won't burn immediately like cellulose; melts when exposed to high heat while on the job
- Non toxic, non reactive and fast acting

Parameters of product

Length (cm):	43
Width (cm):	48
Absorption (Liter/Unit):	99
Weight (kg):	6
Number of pads per unit:	200

PS PM

Pre mixed Plugging and Sealing Putty



Pre-Mixed Plugging and Sealing Putty

Bentonite clay granules that forms a barrier to liquids. No surface preparation required. Non-toxic. Allows for rapid response to leaks. Sticks to dirty/rusty/greasy surfaces instantly, prevents leakages for 24 – 48 hours.

Pre-mixed putty is ready to use. Applies directly onto leaking container to form a seal. Supplied in a plastic pail.

Parameters of product

Weight in kg: 0.5

Pieces per unit: 1

ROLDEX 1 ME & 2 ME

Economical Quality Heavyweight Oil Only Absorbent Rolls



Economical Oil Only Absorbent Rolls

Economical Oil Only Absorbent Rolls preferentially absorb oil, whilst repelling water. The Oil only absorbent roll will remove oil from water and are used in internal and external situations where oil needs to be absorbed without saturating the absorbent with water.

The Economical Oil Only Absorbent Rolls are made of 100% polypropylene and are perforated so that it can be adjusted for all kinds of applications.

Applications:

the Economical Oil Only Absorbent Rolls are ideal for use in factories, on lakes, rivers, harbours or at sea and will remain afloat even when saturated with oil.

- 100% meltblown polypropylene; will absorb up to 25 times its own weight
- Absorbs and retains oils and oil-based liquids—including lubricants and fuels—without absorbing water
- Floats to clean up spills on water
- Bright white color makes absorbed oil easier to see; draws attention to machine leaks and clearly shows saturation level during spill response
- Perforated material is easy to tear to size so you only use what you need
- Economical Oil Only Absorbent Rolls are ideal for catching drips and soaking up spills
- Flame-resistant material won't burn immediately like cellulose; melts when exposed to high heat while on the job
- Non toxic, non reactive and fast acting

Parameters of product

Length (cm):	4400
Width (cm):	96 / 2x48
Absorption (Liter/Unit):	203
Weight (kg):	12,2
Number of rolls per unit:	1 / 2

ROLDEX 1 MP & 2 MP

Premium Quality Heavyweight Oil Only Absorbent Rolls



Low-linting Premium Oil Only Absorbent Rolls

Low-linting Premium Oil Only Absorbent Rolls preferentially absorb oil, whilst repelling water. The Low-linting Premium Oil Only Absorbent Rolls will remove oil from water and are used in internal and external situations where oil needs to be absorbed without saturating the absorbent with water.

The Low-linting Premium Oil Only Absorbent Rolls have a polypropylene core with a fine fiber layer on both sides. This procedure makes the pads extremely low-linting and improves the absorption ability (wicking) and strength of the material.

The Low-linting Premium Oil Only Absorbent Rolls are perforated so that it can be adjusted for all kinds of applications.

Applications:

the Low-linting Premium Oil Only Absorbent Rolls are ideal for use in factories, on lakes, rivers, harbours or at sea and will remain afloat even when saturated with oil.

- 100% meltblown polypropylene covered with a fine fiber layer on both sides; won't rip, tear or fray even when saturated
- Will absorb up to 25 times its own weight
- Dimple pattern speeds wicking of liquid throughout the material for faster, easier cleanup
- Absorbs and retains oils and oil-based liquids—including lubricants and fuels—without absorbing water
- Floats to clean up spills on water
- Bright white color makes absorbed oil easier to see; draws attention to machine leaks and clearly shows saturation level during spill response
- Perforated material is easy to tear to size so you only use what you need
- Low-linting Premium Oil Only Absorbent Rolls are ideal for catching drips and soaking up spills
- Flame-resistant material won't burn immediately like cellulose; melts when exposed to high heat while on the job
- Non toxic, non reactive and fast acting

Parameters of product

Length (cm):	4400
Width (cm):	96 / 2x48
Absorption (Liter/Unit):	237
Weight (kg):	14,8
Number of rolls per unit:	1 / 2

ROLDEX 1 UEP & 2 UEP

Premium Quality Heavyweight Universal Absorbent Rolls



Low-linting Premium Universal Absorbent Rolls

Low-linting Premium Universal Absorbent Rolls absorb leaks and spills to keep floors dry and workers safe.

The Low-linting Premium Universal Absorbent Rolls have a polypropylene core with a very durable black spunbond layer on one side. This procedure makes the Low-linting Premium Universal Absorbent Rolls extremely low-linting and improves the absorption ability (wicking) and strength of the material.

The Low-linting Premium Universal Absorbent Rolls are perforated so that it can be adjusted for all kinds of applications.

UEP quality absorbents was designed for use in high traffic areas. The black cover protects it from foot traffic or other friction. In addition, this black layer hides the dirt due to its color.

Applications:

the Low-linting Premium Universal Absorbent Rolls are ideal for use in factories, garages, laboratories or anywhere where chemicals need to be absorbed.


- Low linting. Superior absorption
- Absorbs and retains oils, coolants, solvents, water and many types of other chemicals
- Black color hides dirt, so Low-linting Premium Universal Absorbent Pads stay on the job longer
- 100% meltblown polypropylene covered with a black spunbond layer on one side; won't rip, tear or fray even when saturated
- Dimple pattern speeds wicking of liquid throughout the material for faster, easier cleanup
- Perforated material is easy to tear to size so you only use what you need
- Low-linting Premium Universal Absorbent Rolls are ideal for catching drips and soaking up spills
- Flame-resistant material won't burn immediately like cellulose; melts when exposed to high heat while on the job
- Non toxic, non reactive and fast acting

Parameters of product

Length (cm):	4400
Width (cm):	96 / 2x48
Absorption (Liter/Unit):	190 liter (for oil-based liquids), 142 liter (for water-based liquids)
Weight (kg):	11,8
Number of rolls per unit:	1 / 2

ROLDEX 1 UP & 2 UP

Premium Quality Heavyweight Universal Absorbent Rolls



Low-linting Premium Universal Absorbent Rolls

Low-linting Premium Universal Absorbent Rolls absorb leaks and spills to keep floors dry and workers safe.

The Low-linting Premium Universal Absorbent Rolls have a polypropylene core with a fine fiber layer on both sides. This procedure makes the Low-linting Premium Universal Absorbent Rolls extremely low-linting and improves the absorption ability (wicking) and strength of the material.

The Low-linting Premium Universal Absorbent Rolls are perforated so that it can be adjusted for all kinds of applications.

Applications:

the Low-linting Premium Universal Absorbent Rolls are ideal for use in factories, garages, laboratories or anywhere where chemicals need to be absorbed.

- Low linting. Superior absorbtion
- Absorbs and retains oils, coolants, solvents, water and many types of other chemicals
- Dark gray color hides dirt, so Low-linting Premium Universal Absorbent Rolls stay on the job longer
- 100% meltblown polypropylene covered with a fine fiber layer on both sides; won't rip, tear or fray even when saturated
- Dimple pattern speeds wicking of liquid throughout the material for faster, easier cleanup
- Perforated material is easy to tear to size so you only use what you need
- Low-linting Premium Universal Absorbent Rolls are ideal for catching drips and soaking up spills
- Flame-resistant material won't burn immediately like cellulose; melts when exposed to high heat while on the job
- Non toxic, non reactive and fast acting



Parameters of product

Length (cm):	4400
Width (cm):	96 / 2x48
Absorption (Liter/Unit):	237 liter (for oil-based liquids), 178 liter (for water-based liquids)
Weight (kg):	14,8
Number of rolls per unit:	1 / 2

RPDC 60


Oread Reusable Polyurethane Drain Cover 60



Oread Reusable Polyurethane Drain Cover 60

Oread Reusable Polyurethane Drain Cover 60 offers a cost effective and simple solution for drain protection. Tough, durable and flexible this polyurethane drain cover is resistant to oil, water and most chemicals. The drain cover is quick to deploy whilst being re-usable with simple washing. Provides a positive sticky seal combined with being high in visibility due to its bright yellow color.

- Resistant to oil, water and most chemicals
- High Visibility
- Re-usable with simple washing
- Tough, durable & flexible
- Quick to deploy
- Much easier to carry with its sports bag



The Rolls Royce among drain covers!

Parameters of product

Length in cm:	60
Width in cm:	60
Height in cm:	1.3
Weight in kg:	5.4
Pieces per unit:	1

RPDC 90

Oread Reusable Polyurethane Drain Cover 90



Oread Reusable Polyurethane Drain Cover 90

Oread Reusable Polyurethane Drain Cover 90 offers a cost effective and simple solution for drain protection. Tough, durable and flexible this polyurethane drain cover is resistant to oil, water and most chemicals. The drain cover is quick to deploy whilst being re-usable with simple washing. Provides a positive sticky seal combined with being high in visibility due to its bright yellow color.

- Resistant to oil, water and most chemicals
- High Visibility
- Re-usable with simple washing
- Tough, durable & flexible
- Quick to deploy
- Much easier to carry with its sports bag



The Rolls Royce among drain covers!

Parameters of product

Length in cm:	90
Width in cm:	90
Height in cm:	1.3
Weight in kg:	10.9
Pieces per unit:	1

SAMSONEX NPB

High Traffic Absorbent Roll with poly backing



The High Traffic Heavy Duty absorbent Roll with poly backing

is perfect for high-traffic walkways. Keep walkways dry and safe with this highly durable, absorbent Rug. Poly backing prevents absorbed liquids from reaching floors.

The High Traffic Heavy Duty absorbent Roll with poly backing won't rip under heavy forklift traffic.


- 100% polypropylene material is needle-punched for incredible durability; won't rip under forklift traffic
- Absorbs and retains oils, coolants, solvents, water and other chemicals
- Poly backing prevents absorbed liquids from reaching floors
- Dark gray color hides grime, so High Traffic Heavy Duty absorbent Roll with poly backing stays on the job longer
- High Traffic Heavy Duty absorbent Roll with poly backing is ideal for covering large areas and soaking up leaks
- Flame-resistant material won't burn immediately like cellulose mats; melts when exposed to high heat while on the job

Parameters of product

Length in cm: 4500
Width in cm: 91
Pieces per unit: 1

SAMSONEX RR PP

High Traffic Absorbent Rolls for Railroads



High Traffic Absorbent Rolls for Railroads

Samsonex RR is ideal for the protection of railroad tracks. It has UV fastness and prevents contamination on railroad ballast.

Samsonex RR is an environmental protection mat with the structure of 3 layers;

Surface layer: 100% polypropylene spunbond for optimal durability, resistance to rip

Middle layer: responsible for the absorption of the liquids

Bottom layer: prevents liquids leak to the ground.

Parameters of product

Length (cm):	4000
Width (cm):	149
Weight (kg):	20.86

USK 104 C

Wheeled Container Universal Spill Kit



Wheeled Container Universal Spill Kit

Use this Wheeled Kit to bring Oread Absorbents directly to a chemical spill — all in a highly visible container that really stands out!

Use Socks to confine spill before it can spread; use Pads to soak up spill
Bright yellow lid stands out, so you can find it when you need it;
Contents are organized for quick, efficient response
Hinged lid allows for easy access and keeps Kit contents clean and dry prior to use;
100% polyethylene container is light-weight

Composition:

- 1 pair of gloves
- 1 pair of Glasses
- 1 9-kg-bag of absorbent granules
- 1 Bottle with 200 ml of a super-concentrated biodegradable degreaser that can be diluted 1:50
- 1 Wheeled container
- 1 detachable Broom
- 1 detachable Shovel
- 3 Black plastic bags
- 20 Low-linting Premium Universal Absorbent Pads, 48 x 43 cm
- 4 universal socks, 7.5 x 120 cm

Absorption in liter: 35 - 45

USK 203 B

Universal Spill Kit in a Rugged Bag



Universal Spill Kit in a rugged Bag

Each spill kit absorbs acids, bases and many other liquids [compatibility guide]

Rugged bag is packed with 20 universal pads, 3 universal socks, one Pre-Mixed Plugging and Sealing Putty and 3 PVC bags

The rugged bag stores spill response supplies, then acts as a temporary disposal bag

Absorbency: 32 liters

Composition:

Rugged bag, 50 cm x 50 cm x 20 cm

3 Universal Socks, 7.5 x 120 cm

20 Low-linting Premium Universal Absorbent Pads, 48 x 43 cm

3 PVC plastic bags

1 Pre-Mixed Plugging and Sealing Putty, 0.5 kg

1 pair of gloves

Parameters of product

Length (cm):	50
Width (cm):	50
Height (cm):	20
Weight (kg):	3,1
Pieces per unit:	1

USK 508 B

Universal Spill Kit in a Rugged Bag



Universal Spill Kit in a rugged Bag

Each spill kit absorbs acids, bases and many other liquids [compatibility guide]

Rugged bag is packed with 50 universal pads, 8 universal socks, one Pre-Mixed Plugging and Sealing Putty and 4 PVC bags

The rugged bag stores spill response supplies, then acts as a temporary disposal bag

Absorbency: 75-110 liters

Composition:

Rugged bag, 50 cm x 50 cm x 40 cm

8 Universal Socks, 7.5 x 120 cm

50 Low-linting Premium Universal Absorbent Pads, 48 x 43 cm

4 PVC plastic bags

1 Pre-Mixed Plugging and Sealing Putty, 0.5 kg

1 pair of gloves

Parameters of product

Length (cm):	50
Width (cm):	50
Height (cm):	40
Weight (kg):	8,1
Pieces per unit:	1

Yellow Spill Kit Box

Makes it easier to collect waste!



Yellow Spill Kit Box helps you keep waste safely.

Yellow Spill Kit Boxes are an efficient and elegant way of storing & transporting waste. They stack onto each other. Thus, they save considerable storage space.

Boxes can be equipped with wheels. They are fork-liftable and shock resistant.

Boxes can also be equipped by a hinged lock.

Product Parameters

Technical Data	Dimensions		
	Inside	Outside	
Length (mm)	1120	1200	
Width (mm)	720	800	
Height (mm)	600	740	
Volume (liter)	500		
Tare Weight (kg)	32		
Max. Load (kg)	700		
Stack Load (kg)	4000		
Quantity in Container	20 ft	40 ft	40 HC
(Units)	39	85	90