



+ View More

PRODUCT NUMBER: NF11HD

Cold Grip - NF11HD

Handling in cold conditions of damp, oily or greasy parts. Ideally suited to tasks where workers need protection from the cold, but don't want to give up comfort and dexterity.

Honeywell

Overview

Reference Number

NF11HD

Product Type

Gloves

Range

Thermal Protection

Line

Cold Protection

Brand

Honeywell

Brand formerly known as

NORTH

Industry

- ☐ Building and Construction ☐ General Industry ☐ Green Spaces ☐ Logistics
☐ Maintenance ☐ Offshore

Product Use

Handling in cold conditions of damp, oily or greasy parts. Ideally suited to tasks where workers need protection from the cold, but don't want to give up comfort and dexterity.

Features & Benefits

Feature

Blue polyamide knitted glove 3/4 Black foam PVC HPT (hydropellent technology) coating
Seamless brushed synthetic liner Elastic knitted wrist

Benefit

COMFORT The ergonomic seamless knit construction conforms better to the natural shape of the hand for greater strength and durability, superior comfort. Encapsulated air molecules provide a vibration absorption feature Coating won't stiffen when cold, so glove retains its flexibility **RESISTANCE** The Polyamide yarn reduces linting for the most sensitive applications and can be easily laundered for extended use. The foam PVC HPT is a soft, durable and flexible coating that repels liquids to provide a firm wet or dry grip. You need less pressure to handle an oily piece. It also provides an excellent abrasion resistance equal to heavier gloves. The 7 gauge brushed synthetic liner ensures superior insulation from the cold down to -20°C. **HYGIENE** The dark colors make the glove less dirty.

Technical Description

Description

Blue polyamide knitted glove 3/4 Black foam PVC HPT (hydropellent technology) coating
Seamless brushed synthetic liner Elastic knitted wrist

Product Technology

Knitted dipped

Gauge

15 outer glove 7 inner glove

Glove/liner color

Blue / black

Coating Type

PVC HPT

Length

25 cm

Harmlessness

In conformity with the European standards.

Dexterity

Class 5

Sizes

9L, 10XL, 11XXL

EN 388 - Mechanical Hazards Abrasion Resistance

Abrasion resistance	2
Cutting resistance	2
Tear resistance	3
Puncture resistance	1

EN 511- Protection in cold temperatures:

Resistance to conductive cold	X
Resistance to contact cold	2
Water permeability	X

Packaging Label

Tagging

CE Honeywell NF11HD XX EN 420 EN 388 : 2231 EN 511 : X2X

Certifications

E.C. Declaration of Conformity

EC Category PPE

2

EC Certificate Number

0075/797/162/08/13/0766

EC Attestation

 EC Attestation

EC Attestation Number

0075/797/162/08/13/0766

Certifications

- EN 0075/797/162/08/13/0766

We're sorry, there are no images available at this time.

Additional Information

User Manual

UI 105

Maintenance

Storage Information

Minimum packaging : 12 pairs. Cartons of 72 pairs.

Care Instructions

This article can be cleaned. For cleaning instructions, please contact Honeywell safety products.



In application of the Directive ref. 89/686/EEC of the 21st of December 1989, concerning the alignment of member state legislation relating to personal protective equipment and the decrees n° 92-765, 766 and 768 of 29th of July 1992 concerning the transposition of this Directive into French law,

CTC

4, rue Hermann Frenkel - 69367 Cedex 07 - France

Tel +33 (0)4 72 76 10 10 - Fax +33 (0)4 72 72 76 10 00 - E-Mail : ctclyon@ctcgroupe.com - www.ctc.fr

Comité Professionnel de Développement Cuir Chaussure Maroquinerie - Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF 9412Z - TVA FR 88775649726

authorized by decree of the Ministry of Work, Employment and Health of the 20th of December 2010,

registered under the number 0075, published in OJEC, delivers :

CE TYPE EXAMINATION CERTIFICATE 0075/797/162/08/13/0766

To the following model of personal protective equipment :

* protective glove against mechanical risks, cold risks.

* reference of the model : NF11HD

* responsible for placing on the market :

HONEYWELL SAFETY PRODUCTS EUROPE

Immeuble Edison ZI-Paris Nord II 33, Rue des Vanesses 95 958 ROISSY CDG CEDEX
France

Description of the protective glove, reference of technical rules verified in the context of the CE type examination and informations indicated on the product are detailed in the following pages of this certificate.

Drawn up in Lyon, on August 02nd, 2013

Issued by Nadine PIPAZ



NOTA : Any modification to new items of the personal protective equipment object of this CE type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the CE type approval certificate (change of adress, change of company status) should be brought to the attention of the notified body in accordance with law n° R. 4313-38 of the French Code of Work.

1. DESCRIPTION OF THE PROTECTIVE GLOVE

According to the technical file index : 01

Reference : NF11HD

Basic Model

Dated : JULY 2013

Glove composed of an outer knitted lining with $\frac{3}{4}$ PVC coating and an insert of Terry lining.

Available sizes :

09-L 10-XL 11-XLL

Visual description :



Material :

	Colour	Material	Gauges	Thickness
PALM	Blue	Polyamide	13	
	Black	PVC		1,25mm
BACK	Blue	Polyamide	13	
LINING	Black	Cotton, polyester, Polyamide, acrylic	10	
CUFF	Blue	Polyamide	13	
	Black	elastic rubber	13	
BINDING	Black	Polyester, elastane		

2. PROTECTION SCOPE

Compliance with the essential requirements of the Directive 89/686/EEC has been verified by using following technical rules:

- * EN 420:2003+A1:2009 - General requirements for gloves and test methods
- * EN 388:2003 - Protective glove against mechanical risks
- * EN 511 : 2006 - Protective gloves against cold
- * Innocuousness - At the date of certificate, the product is in compliance with Annex XVII of European REACH regulation (552/2009/EC and associated revisions).

References of test reports performed in order to verify the compliance with the requirements of the technical rules :

Laboratory	CTC Asia	CTC France	Other
EN 420		1207-10962/2 1301-1152/1	
Azo		1207-10962-2	
EN 388		1207-10962-2	
EN 511		1302-2445	

Performance levels offered against mechanical risks (EN 388:2003) are:

Abrasion resistance	Blade cut resistance	Tear strength resistance	Puncture resistance
2	2	3	1

The levels of performance have been measured on the palm

Performance levels offered against cold (EN 511:2006) are:

Convective cold	Contact cold	Water penetration
X	2	X

« X » means that the test hasn't been performed ; no protection is required




3. MARKING

Each glove is clearly marked with the following information:

- * Logo of the authorized representative:
- * **CE** marking
- * reference of the model: NF11HD
- * size
- * pictogram for mechanical risks followed by the performance levels
- * pictogram for cold risks followed by the performance levels
- * information pictogram

Marking example:





E.C. Declaration of Conformity

The manufacturer or its legal representative supplier in the European Community:
Honeywell Safety Products Europe

Declares that the Personal Protective Equipment described here after conforms to the provisions of the European Council Directive 89/686/CEE:

Designation: Cold Grip - NF11HD

Reference: NF11HD

Standard(s): EN 388, EN 420, EN 511

This PPE is the object of the below EC examination certificate n°:
0075/797/162/08/13/0766

Delivered by:

CENTRE TECHNIQUE DU CUIR

4 rue Hermann Frenkel

69367

Lyon Cedex 07

Drawn up in Lyon, on the 16/09/2014

By: Fabrice beaugeard

Division: Gloves

ZI Paris Nord II 33, rue des Vanesses BP 50288 95958 Roissy CDG France

Tel: +33 (0) 49 90 79 79 Fax: +33 (0)1 49 90 79 80

www.honeywellsafety.com